

A high-speed photograph of a whisky glass with a large, clear ice cube. A splash of water is captured mid-air, flowing from the base of the glass. The background is a soft, light blue gradient. The overall mood is clean, refreshing, and sophisticated.

**Scotsman**<sup>®</sup>

ICE EXPERIENCES

ICE  
IS  
US



ICE  
IS  
US

ART OF MAKING ICE

MAKE  
ICE  
COOL

MAKING ART WITH ICE



Scotsman



# Welcome to Scotsman

The industry's only complete  
solution for highly efficient,  
superior-performing ice  
systems.





# Worldwide footprint

Manufacturing facilities strategically located in the USA, Italy and China to better serve our markets.



Italy

China





# Unmatched Market Coverage

We have the largest network  
in the world, distributing  
products in over  
100 countries and serving  
over a million customers.

International HQ  
**MILAN**

Americas HQ  
**CHICAGO**

Regional Office  
**DUBAI**

Regional Office  
**SINGAPORE**

Sales Office  
**JOHANNESBURG**

Sales Office  
**MADRID**

Sales Office  
**SHANGHAI**











Hotels and  
Fine Dining




QSR and  
Casual Dining



Coffee Chains  
and Speciality



Airlines and  
Cruise Ships



Food Retail &  
CVs Stores



# Designed to inspire

We offer a large selection  
of equipment and ice shapes.



Italy



USA




China

# Committed to a better world

## ***XSafe***

A revolutionary and natural cleaning system  
that takes sanitation to the next level.

It is a natural sanitation system integrated  
inside the machine that ensures  
absolute cleaning and hygiene.





The logo for EcoX, featuring the word "Eco" in white and "X" in a light green color, set against a background of green leaves with water droplets.

EcoX

The Ice Machines range using only natural refrigerants:

- **Hydrocarbons R290**
- **Carbon Dioxide R744**

Designed  
to be unique



**LEGACY**

Scotsman



# Designed to amaze

Ice and its shapes






Gourmet  
Ice



Dice  
Ice



Nugget &  
Cubelet Ice



Flake  
Ice



Scale  
Ice





# GOURMET



Crystal clear, pure, hard and long-lasting ice cubes. Ideal for up-scale operations such as hotels, fine dining, specialty coffee and high-end bars. Its fast cooling action and slow dilution keep drinks chilled for a long time.



**Small  
Gourmet**

8 g - Ø 21 mm  
H 25 mm



**Medium  
Gourmet**

20 g - Ø 30 mm  
H 34 mm



**Large  
Gourmet**

39 g - Ø 38 mm  
H 41 mm



**Extra Large  
Gourmet**

60 g - Ø 44 mm  
H 46 mm

EC SERIES  
**XSafe**



**EC 46**

**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
24 kg Medium cubes

**EC 56**

**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
32 kg Medium cubes

**EC 86**

**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
39 kg Medium cubes

**EC 106**

**Cube size:**  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
50 kg Medium cubes



**Storage bin capacity:**  
9 kg  
**Dimensions:**  
W 386 mm  
D 600 mm  
H 645 mm



**Storage bin capacity:**  
12 kg  
**Dimensions:**  
W 386 mm  
D 600 mm  
H 695 mm



**Storage bin capacity:**  
19 kg  
**Dimensions:**  
W 531 mm  
D 600 mm  
H 785 mm / 825 mm with legs



**Storage bin capacity:**  
23 kg  
**Dimensions:**  
W 531 mm  
D 600 mm  
H 840 mm / 930 mm with legs

**XSafe:** is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

**Clean alert:** advises with a blink when it's time to clean the filter.

**Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.

**Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

**Individual transparent solid cube:** each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.

**Scale accumulation preventing system:** traps ice makers' enemy No. 1 in one place and makes it harmless.

**Ergonomic access to ice with sliding disappearing door:** one-touch door lift, makes barman's life significantly easier.

**PWD - Progressive Water Discharge:** pumps excess residual water up to a distance of 15 meters.

**Built-in storage bin:** allows most undercounter installations for easier fit-in solutions.

#### EC 126

**Cube size:**

Small cube  
Medium cube  
Large cube

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

74 kg Medium cubes

#### EC 176

**Cube size:**

Small cube  
Medium cube  
Large cube

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

85 kg Medium cubes

#### EC 206

**Cube size:**

Small cube  
Medium cube  
Large cube  
Extra Large cube

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

137 kg Medium cubes

#### EC 226

**Cube size:**

Small cube  
Medium cube  
Large cube

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

150 kg Medium cubes



**Storage bin capacity:**

39 kg

**Dimensions:**

W 680 mm  
D 600 mm  
H 920 mm / 1010 mm with legs

**Storage bin capacity:**

48 kg

**Dimensions:**

W 680 mm  
D 600 mm  
H 990 mm / 1080 mm with legs

**Storage bin capacity:**

50 kg

**Dimensions:**

W 1250 mm  
D 622 mm  
H 779 mm / 809 mm with legs

**Storage bin capacity:**

70 kg

**Dimensions:**

W 1078 mm  
D 715 mm  
H 1004 mm / 1082 mm with legs



# EC SERIES XSafe



**EC 47 EcoX**  
**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
24 kg Medium cubes

**EC 57 EcoX**  
**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
32 kg Medium cubes

**EC 87 EcoX**  
**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
39 kg Medium cubes

**EC 107 EcoX**  
**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
50 kg Medium cubes



**Storage bin capacity:**  
9 kg  
**Dimensions:**  
W 386 mm  
D 600 mm  
H 645 mm

**Storage bin capacity:**  
12 kg  
**Dimensions:**  
W 386 mm  
D 600 mm  
H 695 mm

**Storage bin capacity:**  
19 kg  
**Dimensions:**  
W 531 mm  
D 600 mm  
H 785 mm / 825 mm with legs

**Storage bin capacity:**  
23 kg  
**Dimensions:**  
W 531 mm  
D 600 mm  
H 840 mm / 930 mm with legs

**XSafe:** is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

**Clean alert:** advises with a blink when it's time to clean the filter.

**Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.

**Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

**Individual transparent solid cube:** each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.

**Scale accumulation preventing system:** traps ice makers' enemy No. 1 in one place and makes it harmless.

**Ergonomic access to ice with sliding disappearing door:** one-touch door lift, makes barman's life significantly easier.

**PWD - Progressive Water Discharge:** pumps excess residual water up to a distance of 15 meters.

**Built-in storage bin:** allows most undercounter installations for easier fit-in solutions.

**EcoX:** products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

**The full EcoX range is available on AC series as well.**

### EC 127 EcoX

**Cube size:**

Medium cube

**Condensing system:**

Air cooled

**Max daily production:**

74 kg Medium cubes

### EC 177 EcoX

**Cube size:**

Medium cube

**Condensing system:**

Air cooled

**Max daily production:**

85 kg Medium cubes

### DXG 35

Ice Dispenser

**Cube size:**

Medium cube

**Condensing system:**

Air cooled

Water cooled

**Max daily production:**

30 kg Medium cubes



**Storage bin capacity:**

39 kg

**Dimensions:**

W 680 mm

D 600 mm

H 920 mm / 1010 mm with legs

**Storage bin capacity:**

48 kg

**Dimensions:**

W 680 mm

D 600 mm

H 990 mm / 1010 mm with legs

**Storage bin capacity:**

11 kg

**Dimensions:**

W 380 mm

D 515 mm

H 1606 mm / 1696 mm with legs

**AC SERIES**



**AC 46**

**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
24 kg Medium cubes

**AC 56**

**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
32 kg Medium cubes

**AC 86**

**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
39 kg Medium cubes

**AC 106**

**Cube size:**  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
50 kg Medium cubes



**Storage bin capacity:**  
9 kg  
**Dimensions:**  
W 386 mm  
D 600 mm  
H 645 mm

**Storage bin capacity:**  
12 kg  
**Dimensions:**  
W 386 mm  
D 600 mm  
H 695 mm

**Storage bin capacity:**  
19 kg  
**Dimensions:**  
W 531 mm  
D 600 mm  
H 785 mm / 875 mm with legs

**Storage bin capacity:**  
23 kg  
**Dimensions:**  
W 531 mm  
D 600 mm  
H 840 mm / 930 mm with legs



**EcoX:** the AC series is available on the EcoX version, using natural refrigerants, Hydrocarbons R290.

**Clean alert:** advises with a blink when it's time to clean the filter.

**Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.

**Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

**Individual transparent solid cube:** each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.

**Scale accumulation preventing system:** traps ice makers' enemy No. 1 in one place and makes it harmless.

**Ergonomic access to ice with sliding disappearing door:** one-touch door lift, makes barman's life significantly easier.

**Built-in storage bin:** allows most undercounter installations for easier fit-in solutions.

**EcoX:** the AC series is available on the EcoX version, using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

#### AC 126

**Cube size:**

Small cube  
Medium cube  
Large cube

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

74 kg Medium cubes

#### AC 176

**Cube size:**

Small cube  
Medium cube  
Large cube

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

85 kg Medium cubes

#### AC 206

**Cube size:**

Small cube  
Medium cube  
Large cube  
Extra Large cube

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

137 kg Medium cubes

#### AC 226

**Cube size:**

Small cube  
Medium cube  
Large cube

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

150 kg Medium cubes



**Storage bin capacity:**

39 kg

**Dimensions:**

W 680 mm  
D 600 mm  
H 920 mm / 1010 mm with legs

**Storage bin capacity:**

48 kg

**Dimensions:**

W 680 mm  
D 600 mm  
H 990 mm / 1080 mm with legs

**Storage bin capacity:**

50 kg

**Dimensions:**

W 1250 mm  
D 622 mm  
H 779 mm / 809 mm with legs

**Storage bin capacity:**

70 kg

**Dimensions:**

W 1078 mm  
D 715 mm  
H 1005 mm / 1085 mm with legs

# MXG SERIES

## XSafe



**MXG 327** **EcoX**  
**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
152 kg Medium cubes

**MXG 328**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
150 kg Medium cubes

**MXG 427** **EcoX**  
**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
170 kg Medium cubes

**MXG 428**  
**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
195 kg Medium cubes



**Dimensions (Head only):**  
W 560 mm  
D 700 mm  
H 720 mm  
**Recommended bins:**  
SB 193, SB 322

**Dimensions (Head only):**  
W 560 mm  
D 700 mm  
H 720 mm  
**Recommended bins:**  
SB 193, SB 322

**Dimensions (Head only):**  
W 560 mm  
D 700 mm  
H 720 mm  
**Recommended bins:**  
SB 193, SB 322

**Dimensions (Head only):**  
W 560 mm  
D 700 mm  
H 720 mm  
**Recommended bins:**  
SB 193, SB 322

**XSafe:** is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

**Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.

**External indicator lights:** keep ice maker's operations under constant surveillance.

**Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

**Global standard footprint:** strictly follows international imperial standards commonly adopted in the industry of reference.

**Clean alert:** advises with a blink when it's time to clean the filter.

**Individual transparent solid cube:** each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.

**Head only ice maker:** requires a separate storage bin to store the ice produced.\*

**EcoX:** products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

### MXG 437

**Cube size:**  
Medium cube  
**Condensing system:**  
Air cooled  
**Max daily production:**  
170 kg Medium cubes

### MXG 438

**Cube size:**  
Small cube  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
Air cooled remote  
**Max daily production:**  
195 kg Medium cubes

### MXG 638

**Cube size:**  
Small cube  
Medium cube  
Large cube  
Extra Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
Air cooled remote  
**Max daily production:**  
340 kg Medium cubes

### MXG 938

**Cube size:**  
Medium cube  
Large cube  
**Condensing system:**  
Air cooled  
Water cooled  
Air cooled remote  
**Max daily production:**  
400 kg Medium cubes



**Dimensions (Head only):**  
W 765 mm  
D 700 mm  
H 720 mm  
**Recommended bins:**  
SB 393, SB 530

**Dimensions (Head only):**  
W 765 mm  
D 700 mm  
H 720 mm  
**Recommended bins:**  
SB 393, SB 530

**Dimensions (Head only):**  
W 765 mm  
D 700 mm  
H 1125 mm  
**Recommended bins:**  
SB 393, SB 530

**Dimensions (Head only):**  
W 765 mm  
D 700 mm  
H 1235 mm  
**Recommended bins:**  
SB 393, SB 530

\* For all possible bin combinations available, please refer to chart at page 66.




# Creatively Chilled



*Scotsman*







# DICE



Classic six-sided ice cube. Its greater surface for heat exchange promotes rapid chilling.

The perfect solution for QSR, cafés, banquet venues, catering and cinemas.



**Half Dice  
Small Cube**

6 g  
W 10 mm / D 22 mm / H 28 mm



**Dice  
Medium Cube**

10 g  
W 22 mm / D 22 mm / H 22 mm



**Large**

15 g  
W 28 mm / D 22 mm / H 28 mm



**NU SERIES  
NW SERIES  
XSafe**



**NU 100**

**Cube size:**

Half Dice  
Dice  
Large

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

56 kg Dice cubes

**NU 150**

**Cube size:**

Half Dice  
Dice  
Large

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

85 kg Dice cubes

**NU 220**

**Cube size:**

Half Dice  
Dice  
Large

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

109 kg Dice cubes

**NU 300**

**Cube size:**

Half Dice  
Dice  
Large

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

142 kg Dice cubes



**Storage bin capacity:**

20 kg

**Dimensions:**

W 600 mm  
D 610 mm  
H 744 mm / 770 mm  
with short legs

**Storage bin capacity:**

20 kg

**Dimensions:**

W 600 mm  
D 610 mm  
H 744 mm / 770 mm  
with short legs

**Storage bin capacity:**

37 kg

**Dimensions:**

W 650 mm  
D 690 mm  
H 842 mm / 870 mm  
with short legs

**Storage bin capacity:**

37 kg

**Dimensions:**

W 650 mm  
D 690 mm  
H 869 mm / 1003 mm  
with long legs

**NU series**

**XSafe:** is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.  
**Front-in & front-out air flow:** no need to leave space on the back.

**One touch cleaning:** reduces labor costs while saving time and simplifies cleaning process.

**Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and make your ice maker live longer.

**Ergonomic access to ice with sliding disappearing door:** one touch door lift, makes barman's life significantly easier.

**Easy cleaning:** through routine maintenance.

**Built-in storage bin:** allows undercounter installations for easier fit-in solution, specifically for coffee shops.

**NW series**

**XSafe:** is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

**Global standard footprint:** strictly follows international imperial standards commonly adopted in the industry of reference.

**One touch cleaning:** reduces labor costs while saving time and simplifies cleaning process.

**Front evaporator access:** immediate access to the evaporating plate for quick self-maintenance operations.

**Stackable:** add flexibility! (only 30" models).

**Condenser air filter:** removable for easy maintenance.

**Top exhaust airflow:** exit of hot air from the top, no free space required on sides (only 22" NW308 and NW508).

**Head only ice maker:** requires a separate storage bin to collect the ice produced\*.

**EcoX:** products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

**NW 307 EcoX**

**Cube size:**

- Half Dice
- Dice
- Large

**Condensing system:**

- Air cooled
- Water cooled

**Max daily production:**

190 kg Dice cubes

**NW 308**

**Cube size:**

- Half Dice
- Dice
- Large

**Condensing system:**

- Air cooled
- Water cooled

**Max daily production:**

160 kg Dice cubes

**NW 507 EcoX**

**Cube size:**

- Half Dice
- Dice
- Large

**Condensing system:**

- Air cooled
- Water cooled

**Max daily production:**

210 kg Dice cubes

**NW 508**

**Cube size:**

- Half Dice
- Dice
- Large

**Condensing system:**

- Air cooled
- Water cooled

**Max daily production:**

230 kg Dice cubes



**Dimensions (Head only):**

- W 557 mm
- D 610 mm
- H 609 mm

**Recommended bins:**

SB 193, SB 322

**Dimensions (Head only):**

- W 557 mm
- D 610 mm
- H 609 mm

**Recommended bins:**

SB 193, SB 322

**Dimensions (Head only):**

- W 557 mm
- D 610 mm
- H 609 mm

**Recommended bins:**

SB 193, SB 322

**Dimensions (Head only):**

- W 557 mm
- D 610 mm
- H 609 mm

**Recommended bins:**

SB 193, SB 322

\* For all possible bin combinations available, please refer to chart at page 66.

**NW SERIES**  
**XSafe**



**NW 457** **EcoX**

**Cube size:**

Half Dice  
Dice  
Large

**Condensing system:**

Air cooled

**Max daily production:**

220 kg Dice cubes

**NW 458**

**Cube size:**

Half Dice  
Dice  
Large

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

215 kg Dice cubes

**NW 608**

**Cube size:**

Half Dice  
Dice  
Large

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

320 kg Dice cubes



**Dimensions (Head only):**

W 760 mm  
D 620 mm  
H 575 mm

**Recommended bins:**

SB 393, SB 530



**Dimensions (Head only):**

W 760 mm  
D 620 mm  
H 575 mm

**Recommended bins:**

SB 393, SB 530



**Dimensions (Head only):**

W 760 mm  
D 620 mm  
H 575 mm

**Recommended bins:**

SB 393, SB 530

**XSafe:** is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

**Global standard footprint:** strictly follows international imperial standards commonly adopted in the industry of reference.

**One touch cleaning:** reduces labor costs while saving time and simplifies cleaning process.

**Front evaporator access:** immediate access to the evaporating plate for quick self-maintenance operations.

**Stackable:** add flexibility! (only 30" models).

**Condenser air filter:** removable for easy maintenance.

**Top exhaust airflow:** exit of hot air from the top, no free space required on sides (only 22" NW308 and NW508).

**Head only ice maker:** requires a separate storage bin to collect the ice produced\*.

**EcoX:** products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

---

### NW 1008

**Cube size:**

Half Dice  
Dice  
Large

**Condensing system:**

Air cooled  
Water cooled  
Air cooled remote

**Max daily production:**

485 kg Dice cubes

### NW 1408

**Cube size:**

Half Dice  
Dice  
Large

**Condensing system:**

Air cooled  
Water cooled

**Max daily production:**

680 kg Dice cubes



**Dimensions (Head only):**

W 760 mm  
D 620 mm  
H 800 mm

**Recommended bins:**

SB 530, SB 948

**Dimensions (Head only):**

W 765 mm  
D 610 mm  
H 1000 mm

**Recommended bins:**

SB 530, SB 948

\* For all possible bin combinations available, please refer to chart at page 66.



## C SERIES



### **C 0322**

**Cube size:**

Small cube  
Medium cube

**Condensing system:**

Air cooled

**Max daily production:**

137 kg Dice cubes

### **C 0522**

**Cube size:**

Small cube  
Medium cube

**Condensing system:**

Air cooled

**Max daily production:**

214 kg Dice cubes

### **C 0722**

**Cube size:**

Small cube  
Medium cube

**Condensing system:**

Air cooled

**Max daily production:**

330 kg Dice cubes



**Dimensions (Head only):**

W 559 mm  
D 610 mm  
H 584 mm

**Recommended bins:**

SB 193, SB 322



**Dimensions (Head only):**

W 559 mm  
D 610 mm  
H 584 mm

**Recommended bins:**

SB 193, SB 322



**Dimensions (Head only):**

W 559 mm  
D 610 mm  
H 737 mm

**Recommended bins:**

SB 193, SB 322

**One touch cleaning:** reduces labor costs and saves time.

**Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.

**Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice machine live longer.

**Water sense adaptive purge control:** uses just as much water as it is actually needed, limiting wastage to the minimum.

**Head only ice maker:** requires a separate storage bin to store the ice produced.\* Also suitable for installations on beverage fountains/dispensers.

### C 0530

**Cube size:**

Small cube  
Medium cube

**Condensing system:**

Air cooled

**Max daily production:**

217 kg Dice cubes

### C 0630

**Cube size:**

Small cube  
Medium cube

**Condensing system:**

Air cooled

**Max daily production:**

300 kg Dice cubes

### C 0830

**Cube size:**

Small cube  
Medium cube

**Condensing system:**

Air cooled

**Max daily production:**

360 kg Dice cubes

### C 1030

**Cube size:**

Small cube  
Medium cube

**Condensing system:**

Air cooled

Air cooled remote

**Max daily production:**

416 kg Dice cubes



**Dimensions (Head only):**

W 762 mm  
D 610 mm  
H 584 mm

**Recommended bins:**

SB 393, SB 530

**Dimensions (Head only):**

W 762 mm  
D 610 mm  
H 584 mm

**Recommended bins:**

SB 393, SB 530

**Dimensions (Head only):**

W 762 mm  
D 610 mm  
H 737 mm

**Recommended bins:**

SB 393, SB 530

**Dimensions (Head only):**

W 762 mm  
D 610 mm  
H 737 mm

**Recommended bins:**

SB 393, SB 530

\* For all possible bin combinations available, please refer to chart at page 66.

## C SERIES

### C 1448

**Cube size:**

Small cube  
Medium cube

**Condensing system:**

Air cooled  
Air cooled remote

**Max daily production:**

636 kg Dice cubes

### C 1848

**Cube size:**

Small cube  
Medium cube

**Condensing system:**

Air cooled  
Air cooled remote

**Max daily production:**

736 kg Dice cubes

### C 2148

**Cube size:**

Small cube  
Medium cube

**Condensing system:**

Air cooled remote

**Max daily production:**

869 kg Dice cubes



**Dimensions (Head only):**

W 1219 mm  
D 610 mm  
H 737 mm

**Recommended bins:**

SB 948



**Dimensions (Head only):**

W 1219 mm  
D 610 mm  
H 737 mm

**Recommended bins:**

SB 948



**Dimensions (Head only):**

W 1219 mm  
D 610 mm  
H 737 mm


**Recommended bins:**

SB 948









# NUGGET & CUBELET



Compressed flake ice available either in regular micro-cubes or irregular chips. Multi-use versatility that's great with carbonated drinks and smoothies, while a perfect option for food and plate displays. Long lasting, easy to use, high and fast displacement, and hands-free dispensing.



**Nugget**

1 g / Ø 11 mm / H 13 mm  
Residual water content 8%



**Cubelet**

Residual water content 8%

## N SERIES MFN SERIES



### **N 0622**

**Ice type:**

Nugget

**Condensing system:**

Air cooled

**Max daily production:**

266 kg



**Dimensions (Head only):**

W 577 mm

D 610 mm

H 585 mm

**Recommended bins:**

SB 193, SB 322

### **N 0922**

**Ice type:**

Nugget

**Condensing system:**

Air cooled

**Max daily production:**

345 kg



**Dimensions (Head only):**

W 577 mm

D 610 mm

H 686 mm

**Recommended bins:**

SB 393, SB 530

### **MFN 46**

**Ice type:**

Nugget

**Condensing system:**

Air cooled

Water cooled

**Max daily production:**

270 kg



**Dimensions**

**(Head only):**

W 538 mm

D 663 mm

H 650 mm

**Recommended bins:**

SB 193, SB 322

**Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.

**External indicator lights:** keep ice machine's operations under constant surveillance.

**Plug-and-work technology:** starts off and constantly produces ice thanks to a no-cycle harvesting system.

**Water in / ice out concept (no cycles, zero water wastage):** limits to almost zero excess energy, water and time wastage.

**Head only ice maker:** requires a separate storage bin to store the ice produced.\*

**MFN series only**

**XSafe:** is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

**EcoX:** products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

**MFN 47 EcoX**

**Ice type:**  
Nugget  
**Condensing system:**  
Air cooled  
**Max daily production:**  
290 kg

**MFN 56**

**Ice type:**  
Nugget  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
470 kg

**MFN 57 EcoX**

**Ice type:**  
Nugget  
**Condensing system:**  
Air cooled  
**Max daily production:**  
350 kg

**MFN 86**

**Ice type:**  
Nugget  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
1900 kg

**MFN 88 Split**

**Ice type:**  
Nugget  
**Condensing system:**  
For connection to dedicated or centralized refrigeration system  
**Max daily production:**  
1900 kg



**Dimensions (Head only):**  
W 538 mm  
D 663 mm  
H 650 mm  
**Recommended bins:**  
SB 193, SB 322

**Dimensions (Head only):**  
W 538 mm  
D 663 mm  
H 790 mm  
**Recommended bins:**  
SB 393, SB 530

**Dimensions (Head only):**  
W 538 mm  
D 663 mm  
H 790 mm  
**Recommended bins:**  
SB 393, SB 530

**Dimensions (Head only):**  
W 1080 mm  
D 780 mm  
H 1140 mm / 1255 mm with legs  
**Recommended bins:**  
UBH 2250, SIS 1350

**Dimensions:**  
W 569 mm  
D 869 mm  
H 1271 mm  
**Recommended bins:**  
UBH 2250, SIS 1350

\* For all possible bin combinations available, please refer to chart at page 66.



**DXN SERIES  
AFC SERIES**



**DXN 100**  
Ice & Water Dispenser  
**Ice type:**  
Cubelet  
**Condensing system:**  
Air cooled  
**Max daily production:**  
66 kg  
Servings in peak time: 100  
Servings per day: 1200

**DXN 107** **EcoX**  
Ice & Water Dispenser  
**Ice type:**  
Cubelet  
**Condensing system:**  
Air cooled  
**Max daily production:**  
70 kg  
Servings in peak time: 100  
Servings per day: 1200

**DXN 200**  
Ice & Water Dispenser  
**Ice type:**  
Cubelet  
**Condensing system:**  
Air cooled  
**Max daily production:**  
110 kg  
Servings in peak time: 200  
Servings per day: 2400

**DXN 207** **EcoX**  
Ice & Water Dispenser  
**Ice type:**  
Cubelet  
**Condensing system:**  
Air cooled  
**Max daily production:**  
100 kg  
Servings in peak time: 200  
Servings per day: 2400



**Storage bin capacity:**  
5 kg  
**Dimensions:**  
W 427 mm  
D 552 mm  
H 619 mm

**Storage bin capacity:**  
5 kg  
**Dimensions:**  
W 427 mm  
D 552 mm  
H 619 mm

**Storage bin capacity:**  
10 kg  
**Dimensions:**  
W 427 mm  
D 552 mm  
H 769 mm

**Storage bin capacity:**  
10 kg  
**Dimensions:**  
W 427 mm  
D 552 mm  
H 769 mm

#### DXN series

**Appealing design:** it can be smartly positioned in any situation, from luxury lounges to unconventional traditional pubs, allowing customers to cool their drinks to their own taste, without any hygiene hazards.

**Display:** appealing frontal all-black touch screen display. Touch-activated or touch-free version.

**Footprint:** large flow of ice in a small footprint.

**Simple serviceability:** extractable washable drip tray and anti-clog drain filter.

#### AFC series

**XSafe:** is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

**Electronic control:** ambient and water temperatures may change throughout the years but your ice maker will stay the same.

**Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer (only AFC 134).

**PWD - Progressive Water Discharge (optional):** pumps excess residual water up to a distance of 15 meters (only AFC 134).

**Built-in storage bin:** allows undercounter installations for easier fit-in solution.

---

#### AFC 80

**Ice type:**

Cubelet

**Condensing system:**

Air cooled

Water cooled

**Max daily production:**

85 kg

#### AFC 134

**Ice type:**

Cubelet

**Condensing system:**

Air cooled

Water cooled

**Optional:**

PWD - Progressive Water Discharge

**Max daily production:**

130 kg



**Storage bin capacity:**

25 kg

**Dimensions:**

W 535 mm

D 626 mm

H 800 mm / 889 mm with legs

**Storage bin capacity:**

40 kg

**Dimensions:**

W 950 mm

D 605 mm

H 789 mm / 869 mm with legs

# Stirring Spirits









# FLAKE



Ice produced just below zero degrees Celsius. Highly versatile, it's suitable for multiple applications, including fish display counters, buffet displays, frozen drink preparations.



**Flake**

Residual water content 25%



**Superflake**

Residual water content 15%

**AF SERIES  
MF SERIES  
XSafe**



**AF 80**  
Ice type:  
Flake  
**Condensing system:**  
Air cooled  
Water cooled  
**Max daily production:**  
73 kg

**AF 87 EcoX**  
Ice type:  
Flake  
**Condensing system:**  
Air cooled  
**Max daily production:**  
70 kg

**AF 103**  
Ice type:  
Flake  
**Condensing system:**  
Air cooled  
Water cooled  
**Optional:**  
PWD - Progressive Water  
Discharge  
**Max daily production:**  
120 kg

**AF 107 EcoX**  
Ice type:  
Flake  
**Condensing system:**  
Air cooled  
**Optional:**  
PWD - Progressive Water  
Discharge  
**Max daily production:**  
120 kg

**AF 124**  
Ice type:  
Flake  
**Condensing system:**  
Air cooled  
Water cooled  
**Optional:**  
PWD - Progressive Water  
Discharge  
**Max daily production:**  
120 kg



**Storage bin capacity:**  
25 kg  
**Dimensions:**  
W 535 mm  
D 626 mm  
H 800 mm / 889 mm  
with legs

**Storage bin capacity:**  
25 kg  
**Dimensions:**  
W 535 mm  
D 626 mm  
H 800 mm / 889 mm  
with legs

**Storage bin capacity:**  
30 kg  
**Dimensions:**  
W 592 mm  
D 622 mm  
H 997 mm / 1077mm  
with legs

**Storage bin capacity:**  
30 kg  
**Dimensions:**  
W 592 mm  
D 622 mm  
H 997 mm / 1077 mm  
with legs

**Storage bin capacity:**  
40 kg  
**Dimensions:**  
W 950 mm  
D 605 mm  
H 789 mm / 869 mm  
with legs

**XSafe:** is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

**Clean alert:** advises with a blink when it's time to clean the filter.

**Electronic control:** ambient and water temperatures may change throughout the years but your ice maker will stay the same.

**Front access condenser air filter:** a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

**PWD - Progressive Water Discharge (optional on AF series):** pumps excess residual water up to a distance of 15 meters.

**Water in / ice out concept (no cycles, zero water wastage):** limits to almost zero excess energy, water and time wastage.

**Ergonomic access to ice with sliding disappearing door:** one-touch door lift, makes barman's life significantly easier (AF series).

**AF series - built-in storage bin:** allows most undercounter installations for easier fit-in solutions.

**MF series - head only ice maker:** requires a separate storage bin to store the ice produced.\*

**EcoX:** products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

### AF 127 **EcoX**

**Ice type:**

Flake

**Condensing system:**

Air cooled

**Optional:**

PWD - Progressive Water Discharge

**Max daily production:**

130 kg

### AF 156

**Ice type:**

Flake

**Condensing system:**

Air cooled

Water cooled

**Optional:**

PWD - Progressive Water Discharge

**Max daily production:**

160 kg

### AF 206

**Ice type:**

Flake

**Condensing system:**

Air cooled

Water cooled

**Optional:**

PWD - Progressive Water Discharge

**Max daily production:**

200 kg

### MF 26

**Ice type:**

Flake

**Condensing system:**

Air cooled

Water cooled

**Max daily production:**

120 kg

### MF 36

**Ice type:**

Flake

**Condensing system:**

Air cooled

Water cooled

**Max daily production:**

200 kg



**Storage bin capacity:**

40 kg

**Dimensions:**

W 950 mm

D 605 mm

H 789 mm / 869 mm with

legs

**Storage bin capacity:**

60 kg

**Dimensions:**

W 950 mm

D 605 mm

H 1000 mm / 1080 mm

with legs

**Storage bin capacity:**

60 kg

**Dimensions:**

W 950 mm

D 605 mm

H 1000 mm / 1080 mm

with legs

**Dimensions**

**(Head only):**

W 564 mm

D 536 mm

H 531 mm

**Recommended bins:**

SB 193, SB 322

**Dimensions**

**(Head only):**

W 564 mm

D 536 mm

H 531 mm

**Recommended bins:**

SB 193, SB 322

\* For all possible bin combinations available, please refer to chart at page 86.



**MF SERIES**  
**XSafe**



**MF 37** **EcoX**  
**Ice type:**  
 Flake  
**Condensing system:**  
 Air cooled  
**Max daily production:**  
 200 kg

**MF 46**  
**Ice type:**  
 Superflake  
**Condensing system:**  
 Air cooled  
 Water cooled  
**Max daily production:**  
 330 kg

**MF 47** **EcoX**  
**Ice type:**  
 Superflake  
**Condensing system:**  
 Air cooled  
**Max daily production:**  
 300 kg

**MF 56**  
**Ice type:**  
 Superflake  
**Condensing system:**  
 Air cooled  
 Water cooled  
 Air cooled remote  
**Max daily production:**  
 600 kg

**MF 57** **EcoX**  
**Ice type:**  
 Superflake  
**Condensing system:**  
 Air cooled  
**Max daily production:**  
 450 kg



**Dimensions (Head only):**  
 W 564 mm  
 D 536 mm  
 H 531 mm  
**Recommended bins:**  
 SB 193, SB 322

**Dimensions (Head only):**  
 W 538 mm  
 D 663 mm  
 H 650 mm  
**Recommended bins:**  
 SB 193, SB 322

**Dimensions (Head only):**  
 W 538 mm  
 D 663 mm  
 H 650 mm  
**Recommended bins:**  
 SB 193, SB 322

**Dimensions (Head only):**  
 W 538 mm  
 D 663 mm  
 H 790 mm  
**Recommended bins:**  
 SB 393, SB 530, SB 948,  
 SB 1025

**Dimensions (Head only):**  
 W 538 mm  
 D 663 mm  
 H 790 mm  
**Recommended bins:**  
 SB 393, SB 530, SB 948,  
 SB 1025

**XSafe:** is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

**Electronic control:** ambient and water temperatures may change throughout the years but your ice maker will stay the same.

**External indicator lights:** keeps ice maker's operations under constant surveillance.

**Plug-and-work technology:** starts off and constantly produces ice thanks to a no-cycle harvesting system.

**Global standard footprint:** strictly follows international imperial standards commonly adopted in the industry of reference.

**Water in / ice out concept (no cycles, zero water wastage):** limits to almost zero excess energy, water and time wastage.

**Head only ice maker:** requires a separate storage bin to store the ice produced.\*

**EcoX:** products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

### MF 58 Split

**Ice type:**

Superflake

**Condensing system:**

For connection to dedicated or centralized refrigeration system

**Max daily production:**

600 kg

### MF 59 Split **EcoX**

**Ice type:**

Superflake

**Condensing system:**

For connection to dedicated or centralized refrigeration system

**Max daily production:**

700 kg

### MF 66

**Ice type:**

Superflake

**Condensing system:**

Air cooled  
Water cooled  
Air cooled remote

**Max daily production:**

1150 kg

### MF 68 Split

**Ice type:**

Superflake

**Condensing system:**

For connection to dedicated or centralized refrigeration system

**Max daily production:**

1220 kg



**Dimensions (Head only):**

W 538 mm  
D 663 mm  
H 790 mm

**Recommended bins:**

SB 530, SB 948, SB 1025

**Dimensions (Head only):**

W 538 mm  
D 663 mm  
H 790 mm

**Recommended bins:**

SB 530, SB 948, SB 1025

**Dimensions (Head only):**

W 1065 mm  
D 698 mm  
H 850 mm

**Recommended bins:**

SB 948, SB 1025, UBH 1100, UBH 1600

**Dimensions (Head only):**

W 538 mm  
D 663 mm  
H 790 mm

**Recommended bins:**

SB 948, SB 1025, UBH 1100, UBH 1600

\* For all possible bin combinations available, please refer to chart at page 66.

# MF SERIES

## XSafe

### MF 69 Split



**Ice type:**  
Superflake  
**Condensing system:**  
For connection to  
dedicated or centralized  
refrigeration system  
**Max daily production:**  
1400 kg



**Dimensions (Head only):**

W 538 mm  
D 663 mm  
H 790 mm

**Recommended bins:**

SB 948, SB 1025, UBH 1100,  
UBH 1600

### MF 86

**Ice type:**  
Superflake  
**Condensing system:**  
Air cooled  
Water cooled  
Air cooled remote  
**Max daily production:**  
2500 kg



**Dimensions:**

W 1080 mm  
D 780 mm  
H 1140 mm / 1255 mm with legs

**Recommended bins:**

UBH 2250, SIS 1350

### MF 88 Split

**Ice type:**  
Superflake  
**Condensing system:**  
For connection to  
dedicated or centralized  
refrigeration system  
**Max daily production:**  
2500 kg



**Dimensions:**

W 540 mm  
D 780 mm  
H 1140 mm / 1255 mm with legs

**Recommended bins:**

UBH 2250, SIS 1350









# SCALE



Featuring less than 2% residual water content, it's our coldest form of ice and is very dry. Made by irregular fragments of ice with a variable thickness adjustable from 1 to 2 mm. Ideal for food processing and large food displays in supermarkets.



**Scale ice**

Residual water content 2%

## MAR SERIES COMPACT MODELS



### **MAR 56**

Compact configuration

**Ice type:**

Scale ice

**Condensing system:**

Air cooled

Water cooled

**Max daily production:**

426 kg

### **MAR 76**

Compact configuration

**Ice type:**

Scale ice

**Condensing system:**

Air cooled

Water cooled

**Max daily production:**

570 kg

### **MAR 106**

Compact configuration

**Ice type:**

Scale ice

**Condensing system:**

Air cooled

Water cooled

**Max daily production:**

785 kg

### **MAR 126**

Compact configuration

**Ice type:**

Scale ice

**Condensing system:**

Air cooled

Water cooled

**Max daily production:**

1000 kg



**Dimensions:**

W 906 mm

D 621 mm + 192 mm

H 1125 mm

**Dimensions:**

W 906 mm

D 621 mm + 192 mm

H 1125 mm

**Dimensions:**

W 906 mm

D 621 mm + 192 mm

H 1125 mm

**Dimensions:**

W 906 mm

D 621 mm + 192 mm

H 1125 mm

**Stainless steel horizontal evaporating drum:** for a life-long working endurance.

**Floor standing compatible:** delivers ice straight into carts, trolleys or ice boxes.

**Plug-and-work technology:** starts off and constantly produces ice thanks to a no-cycle harvesting system.

**All water in / all ice out concept (no cycles, zero water wastage):** limits to almost zero excess energy, water and time wastage.

**Compact configuration:** includes evaporator, compressor and condensing units, and it is supplied without panels on the group (optional).

---

### MAR 206

Compact configuration

**Ice type:**

Scale ice

**Condensing system:**

Air cooled

Water cooled

**Max daily production:**

1850 kg

### MAR 306

Compact configuration

**Ice type:**

Scale ice

**Condensing system:**

Air cooled remote

Water cooled

**Max daily production:**

2450 kg



**Dimensions:**

W 1326 mm

D 676 mm + 177 mm

H 1125 mm



**Dimensions:**

W 1326 mm

D 676 mm + 177 mm

H 1125 mm



## MAR SERIES SPLIT MODELS



### MAR 78

Split configuration

**Ice type:**  
Scale ice

**Condensing system:**  
For connection to  
dedicated or centralized  
refrigeration system

**Max daily production:**  
570 kg

### MAR 79 **EcoX**

Split configuration

**Ice type:**  
Scale ice

**Condensing system:**  
For connection to  
dedicated or centralized  
refrigeration system

**Max daily production:**  
540 kg

### MAR 108

Split configuration

**Ice type:**  
Scale ice

**Condensing system:**  
For connection to  
dedicated or centralized  
refrigeration system

**Max daily production:**  
785 kg

### MAR 109 **EcoX**

Split configuration

**Ice type:**  
Scale ice

**Condensing system:**  
For connection to  
dedicated or centralized  
refrigeration system

**Max daily production:**  
720 kg

### MAR 128

Split configuration

**Ice type:**  
Scale ice

**Condensing system:**  
For connection to  
dedicated or centralized  
refrigeration system

**Max daily production:**  
1000 kg



**Dimensions:**

W 906 mm  
D 621 mm + 192 mm  
H 520 mm

**Dimensions:**

W 906 mm  
D 621 mm + 192 mm  
H 520 mm

**Dimensions:**

W 906 mm  
D 621 mm + 192 mm  
H 520 mm

**Dimensions:**

W 906 mm  
D 621 mm + 192 mm  
H 520 mm

**Dimensions:**

W 906 mm  
D 621 mm + 192 mm  
H 520 mm

**Stainless steel horizontal evaporating drum:** for a life-long working endurance.

**Floor standing compatible:** delivers ice straight into carts, trolleys or ice boxes.

**Plug-and-work technology:** starts off and constantly produces ice thanks to a no-cycle harvesting system.

**All water in / all ice out concept (no cycles, zero water wastage):** limits to almost zero excess energy, water and time wastage.

**Split configuration:** evaporator supplied only. For connections to remote condensing units, either dedicated or centralized.

**EcoX:** products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

### MAR 129 **EcoX**

Split configuration

**Ice type:**  
Scale ice

**Condensing system:**

For connection to dedicated or centralized refrigeration system

**Max daily production:**  
1000 kg

### MAR 208

Split configuration

**Ice type:**  
Scale ice

**Condensing system:**

For connection to dedicated or centralized refrigeration system

**Max daily production:**  
1850 kg

### MAR 209 **EcoX**

Split configuration

**Ice type:**  
Scale ice

**Condensing system:**

For connection to dedicated or centralized refrigeration system

**Max daily production:**  
1850 kg

### MAR 308

Split configuration

**Ice type:**  
Scale ice

**Condensing system:**

For connection to dedicated or centralized refrigeration system

**Max daily production:**  
2450 kg



**Dimensions:**

W 906 mm  
D 621 mm + 192 mm  
H 520 mm

**Dimensions:**

W 1326 mm  
D 661 mm + 192 mm  
H 520 mm

**Dimensions:**


W 1326 mm  
D 661 mm + 192 mm  
H 520 mm

**Dimensions:**

W 1326 mm  
D 661 mm + 192 mm  
H 520 mm




# Ice Storage Systems




## SB SERIES

Slope front bins. Insulated, inside rounded corner, for daily turnover of ice. Easy to clean and maintain, removable gaskets. The reinforced hinges provide enhanced durability. The slope front makes access to ice as easy as possible. From 129 kg to 478 kg storage capacity range. Compatible with any type of ice.



## UBH SERIES

Upright bins. First-in first-out concept provides a constantly fresh ice supply and high level of hygiene. Insulated, inside rounded corner, of higher capacity demand for ice and longer stock periods. Sturdy enough to sustain even the largest ice makers. Front windows allow operators to always keep an eye on the product inside. From 553 kg to 1068 kg storage capacity. Compatible with any type of ice.



## SIS SERIES

Upright bins with integral trolleys. First-in first-out concept provides a constantly fresh ice supply and high level of hygiene. 73 kg capacity trolleys, insulated and top-closed with lids, facilitate ice transportation. Ice falls down into trolleys gravitationally, with no need of tiresome shoveling. Insulated, inside rounded corner, for higher capacity demand for ice and longer stock periods. Sturdy enough to sustain even the largest ice makers. Front windows allow operators to always keep an eye on the product inside. From 210 kg to 759 kg storage capacity. Compatible with any type of ice.



## SB SERIES

**SB 193**

Storage capacity:  
129 kg



**Dimensions:**

W 568 mm  
D 845 mm  
H 1048 mm

**SB 322**

Storage capacity:  
168 kg



**Dimensions:**

W 569 mm  
D 869 mm  
H 1271 mm

**SB 393**

Storage capacity:  
181 kg



**Dimensions:**

W 768 mm  
D 845 mm  
H 1048 mm

**SB 530**

Storage capacity:  
243 kg



**Dimensions:**

W 771 mm  
D 865 mm  
H 1270 mm

**SB 550**

Storage capacity:  
252 kg



**Dimensions:**

W 1082 mm  
D 824 mm  
H 968 mm

**SB 948**

Storage capacity:  
406 kg



**Dimensions:**

W 1238 mm  
D 869 mm  
H 1272 mm

**SB 1025**

Storage capacity:  
478 kg



**Dimensions:**

W 1331 mm  
D 871 mm  
H 1272 mm

# UBH SERIES

## UBH 1100

Storage capacity:  
553 kg



**Dimensions:**  
W 1220 mm  
D 1128 mm  
H 1427 mm

## UBH 1600

Storage capacity:  
812 kg



**Dimensions:**  
W 1524 mm  
D 1128 mm  
H 1731 mm

## UBH 2250

Storage capacity:  
1068 kg



**Dimensions:**  
W 1828 mm  
D 1468 mm  
H 1292 mm

## SIS SERIES

### SIS 300

**Storage capacity:**  
137 kg + 73 kg ice cart



**Dimensions:**

W 884 mm  
D 1025 mm  
H 1343 mm

### SIS 700

**Storage capacity:**  
318 kg + 73 kg ice cart



**Dimensions:**

W 885 mm  
D 1267 mm  
H 1803 mm

### SIS 1350

**Storage capacity:**  
613 kg + 73 kg + 73 kg ice carts



**Dimensions:**

W 1753 mm  
D 1267 mm  
H 1803 mm

#### ACCESSORIES CARTS AND TOTES









# Head/bin combination chart

	BIN	SB193/NB193	SB322	SB393/NB393	SB530	SB550	SB948
HEAD	kg/24h	129	168	181	243	252	406
MXG327	152	✓	✓				
MXG328	150	✓	✓				
MXG427	170	✓	✓			BINTOPMXGSB55	
MXG428	195	✓	✓			BINTOPMXGSB55	
MXG437	170			✓	✓	BINTOPMXGSB55	
MXG438	195			✓	✓	BINTOPMXGSB55	
MXG638	340			✓	✓	BINTOPMXGSB55	CBT48EAMCD
MXG938	400			✓	✓	BINTOPMXGSB55	CBT48EAMCD
C0322	137	✓	✓	CBT30/52AMCD	CBT30/52AMCD		
C0522	214		✓	CBT30/52AMCD	CBT30/52AMCD		
C0722	330	✓	✓	CBT30/52AMCD	CBT30/52AMCD		
C0530	217			✓	✓		CBT48EAMCD
C0630	300				✓		CBT48EAMCD
C0830	360			✓	✓		CBT48EAMCD
C1030	416			✓	✓		CBT48EAMCD
C1448	636						✓
C1848	736						✓
C2148	869						✓
NW307	190	✓	✓	CBT30EMCD	CBT30EMCD		
NW308	160	✓	✓	CBT30EMCD	CBT30EMCD		
NW507	210	✓	✓	CBT30EMCD	CBT30EMCD		
NW508	230	✓	✓	CBT30EMCD	CBT30EMCD		
NW457	220			✓	✓	CBT42EMCD	CBT48FMCD
NW458	215			✓	✓	CBT42EMCD	CBT48FMCD
NW608	320			✓	✓	CBT42EMCD	CBT48FMCD
NW1008	485			✓	✓	CBT42EMCD	CBT48EAMCD
NW1408	680				✓	CBT42EMCD	CBT48EAMCD
N0622	266	✓	✓	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
N0922	345		✓	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MFN46	270	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MFN56/MFN57	470	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MFN86	1900						
MFN88	1900						
MF26	120	✓	✓	CBT30EFSD	CBT30EFSD	CBT42EFSD	
MF36	200	✓	✓	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF37	200	✓	✓	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF46	330	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF47	320	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF56	600	CBT22EFCD		CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF57	440			CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF58	600			CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF59	700			CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF66	1150						
MF68	1220						CBT48FMCD
MF69	1400						CBT48FMCD
MF86/88	2500						
MAR56	426						
MAR76/78	570						
MAR79	540						
MAR106/108	785						
MAR109	720						
MAR126/128/129	1000						
MAR206/208	1850						
MAR306/308	2450						

✓ Perfect combination between ice-maker and bin ● Ice chute cut-out performed upon installation

CBT xxxxxxxx need additional bin top

	SB1025	UBH1100	UBH1600	UBH2250	SIS300	SIS700	SIS1350	BIN	
	478	553	812	1068	137 + 73	318 + 73	613+73+73	gg/24h	HEAD
								152	MXG327
								150	MXG328
		●	●			●	●	170	MXG427
		●	●			●	●	195	MXG428
		●	●			●	●	170	MXG437
		●	●			●	●	195	MXG438
CBT52EAMCD		●	●			●	●	340	MXG638
CBT52EAMCD		●	●			●	●	400	MXG938
								137	C0322
						●	●	214	C0522
						●	●	330	C0722
CBT52EAMCD		●				●	●	217	C0530
CBT52EAMCD		●	●			●	●	300	C0630
CBT52EAMCD		●	●			●	●	360	C0830
CBT52EAMCD		●	●			●	●	416	C1030
CBT30/52AMCD		●	●				●	636	C1448
CBT30/52AMCD		●	●				●	736	C1848
CBT30/52AMCD		●	●				●	869	C2148
						●	●	190	NW307
						●	●	160	NW308
						●	●	210	NW507
						●	●	230	NW508
						●	●	220	NW457
						●	●	215	NW458
						●	●	320	NW608
CBT52EAMCD		●	●			●	●	485	NW1008
CBT52EAMCD		●	●			●	●	680	NW1408
CBT52FMCD		●	●		●	●		266	N0622
CBT52FMCD		●	●		●	●		345	N0922
CBT52FMCD		●			●	●		270	MFN46
CBT52FMCD		●	●		●	●		470	MFN56/MFN57
				●			●	1900	MFN86
				●			●	1900	MFN88
					●			120	MF26
					●			200	MF36
					●			200	MF37
CBT52FMCD		●			●	●		330	MF46
CBT52FMCD		●			●	●		300	MF47
CBT52FMCD		●	●		●	●		600	MF56
CBT52FMCD		●	●		●	●		450	MF57
CBT52FMCD		●	●		●	●		600	MF58
CBT52FMCD		●	●		●	●		700	MF59
		●	●	●			●	1150	MF66
CBT52FMCD		●	●	●			●	1220	MF68
CBT52FMCD		●	●	●			●	1400	MF69
				●			●	2500	MF86/88
		●	●	●	●	●	●	426	MAR56
		●	●	●	●	●	●	570	MAR76/78
		●	●	●	●	●	●	540	MAR79
		●	●	●		●	●	785	MAR106/108
		●	●	●		●	●	720	MAR109
		●	●	●		●	●	1000	MAR126/128/129
			●	●			●	1850	MAR206/208
			●	●			●	2450	MAR306/308

## OTHER PRODUCTS

### HID 312

Ice & water dispenser

**Ice type:**

Cubelet

**Condensing system:**

Air cooled

**Max daily production:**

110 kg



**Storage bin capacity:**

5 kg

**Dimensions:**

W 415 mm

D 619 mm

H 886 mm / 988 with legs

### HID 525

Ice & water dispenser

**Ice type:**

Cubelet

**Condensing system:**

Air cooled

**Max daily production:**

209 kg



**Storage bin capacity:**

11 kg

**Dimensions:**

W 542 mm

D 619 mm

H 886 mm / 988 with legs

### HID 540

Ice & water dispenser

**Ice type:**

Cubelet

**Condensing system:**

Air cooled

**Max daily production:**

209 kg



**Storage bin capacity:**

18 kg

**Dimensions:**

W 542 mm

D 619 mm

H 1038 mm / 1140 with legs

### SCW 14 B - EVO

Pressure water cooler

**Max cooled litres/hour:**

50 litres



**Dimensions:**

W 404 mm

D 332 mm

H 1034 mm

### SCW 14 FP - EVO

Pressure water cooler

**Max cooled litres/hour:**

50 litres



**Dimensions:**

W 404 mm

D 332 mm

H 1034 mm

### SW 12 USPH

Pressure water cooler

**Max cooled litres/hour:**

50 litres



**Dimensions:**

W 400 mm

D 330 mm

H 865 mm

### SW 12 S

Pressure water cooler

**Max cooled litres/hour:**

50 litres



**Dimensions:**

W 432 mm

D 360 mm

H 505 mm

### HD 22

Ice dispenser

**Storage Capacity:**

59 kg

Dispensing unit to be combined with an ice maker



**Dimensions:**

W 559 mm

D 850 mm

H 1351 mm

### HD 30

Ice dispenser

**Storage Capacity:**

81 kg

Dispensing unit to be combined with an ice maker



**Dimensions:**

W 762 mm

D 850 mm

H 1351 mm

### CRUSHMAN 360

Crushes all ice cubes

6 kg per minute



**Dimensions:**

W 245 mm

D 430 mm

H 490 mm

### RBC Stand and Carts

**RBC 200:** 100 kg


**RBC 300:** 150 kg

**RBC 500:** 250 kg



### EH Series ECLIPSE

Outdoor pre-charged refrigeration system specific for Prodigy Plus units. Designed to eliminate heat and noise from service area of the restaurant.







# Global supplier for global markets

## **SCOTSMAN INTERNATIONAL - HQ**

Europe, Africa, Middle East, Asia & Pacific  
Scotsman Ice  
Via Lainate 31  
20005 Pogliano Milanese  
Milan - Italy  
Ph: +39-02-93960 208  
Fax: +39-02-93960 201  
sales@scotsman.it  
www.scotsman-ice.it

## **CHINA MAINLAND**

Scotsman Ice Systems (Shanghai) Co., Ltd.  
Room 2505, Building 2  
20 Xuhong Middle Road,  
Xuhui District  
Shanghai China 200235  
Ph: +86-21-6131 3200  
Fax: +86-21-6131 3330  
sales@scotsman-china.com  
www.scotsman-china.com

## **MIDDLE EAST & NORTH AFRICA**

Scotsman Ice  
Regional Branch (MENA)  
PO Box: 42026, Sharjah, UAE  
Hamriyah Free-Zone Phase # 2,  
Logistic Village Warehouse # LV-10/A  
Ph: +9716-5262-944/945  
Mob. Ph.+971-505-505-980  
m.dawood@scotsman.ae

## **SCOTSMAN USA - HQ**

USA, Canada, Latin America  
Scotsman Ice Systems  
101 Corporate Woods Parkway  
Vernon Hills, IL 60061  
Ph: +1-847-215 4500  
Fax: +1-847-913 9844  
sales@scotsman-ice.com  
www.scotsman-ice.com

## **ASIA & PACIFIC**

Scotsman Industries Singapore Pte Ltd  
140 Paya Lebar Road  
#08-09 AZ @ Paya Lebar  
Singapore 409015  
Ph: +65-6738 5393  
Fax: +65-6738 1959  
scotsman@scotsman.com.sg

## **SOUTH & CENTRAL AFRICA**

Scotsman Ice Systems SA (Pty) Ltd  
PO Box: 30072, Jetpark, 1467  
Unit 4 Lakeview Business Park  
8-10 Yaldwyn Road,  
Jetpark, Boksburg, RSA  
Ph: +27-11-826-6742/1,  
+27-087-720 0245/6/7/8  
Fax: +27-11-826-4123,  
+27-086-634 0803  
stuart@scotsmansa.co.za  
jennifer@scotsmansa.co.za

## **SPAIN**

Scotsman España, S.L.U.  
c/ Galapagar, 12  
Poligono Industrial Ventorro del Cano  
28925 Alcorcon (Madrid)  
Ph: +34-91-1109796  
Fax: +34-91-6337423  
scotsman@scotsman-espana.es  
www.scotsman-espana.es



SCOTSMAN-ICE.IT



scotsman\_ice



Scotsman Ice



Scotsman Ice Global



Scotsman Ice System